

# Product datasheet

Specifications



## Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m, North America

AP8704S-NA

### Overview

**Presentation** Free up space and secure power cords between rack-mount PDUs and attached IT equipment with this exclusive easy-to-use cord retention method. While these cords will fit into any standard IEC receptacle or power inlet; the "locking" feature is enabled only when used with APC AP8000 series Rack PDUs or IT equipment with built-in locking receptacles. These locking connectors reduce the probability of accidentally disconnecting cords and dropping loads.

**Lead Time** Usually in Stock

### Main

**Input Connection Type** IEC 60320 C14

**Cable Length** 1.22 m

**Number Of Cables** 6

### Physical

**Colour** Black

**Height** 24 cm

**Width** 7 cm

**Depth** 4.5 cm

**Net Weight** 1.01 kg

**Mounting Preference** No preference

**Mounting Mode** Not rack-mountable

### Input

**Max Line Current** 10 A

**Input Current Limits** 10 A

### Output

**Max Current Draw** 10 A

**Number Of Power Socket Outlets** 1 IEC 60320 C13

**Power Cable Length** 1.22 m

### Conformance

**Product Certifications** CSA  
UL listed

### Environmental

Ambient Air Temperature For Operation	0...105 °C
Relative Humidity	20...80 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25...105 °C
Storage Relative Humidity	20...80 %
Storage Altitude	0.00...15240.00 m

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	24 cm
Package 1 Width	4.5 cm
Package 1 Length	7 cm
Package 1 Weight	1.01 kg

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)




Take-back Transparency RoHS/REACH

## Resource performance

 Take-Back Program Available

---

## Well-being performance

 Lead Free

---

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

---

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

---

Environmental Disclosure

[Product Environmental Profile](#)

---

Circularity Profile

[End of Life Information](#)

---